



In the United States Patent and Trademark Office

Applicant: Cornelis J. Bosselaar et al. Docket No.: 16379
Serial No.: 10/020,455 Group No.: 3761
Confirmation No.: 9329 Examiner: Unknown
Filed: December 14, 2001 Date: May 28, 2003
For: A COMBINATION FOR MANAGING THE INVOLUNTARY LOSS OF
BLADDER CONTROL

3761
6-24-03
#7

**Supplemental Information Disclosure Statement Pursuant to 37 C.F.R. § 1.97(b)
Before First Office Action or Within Three Months of Filing Date**

COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

RECEIVED
JUN 06 2003

Sir:

TECHNOLOGY CENTER R3700

Pursuant to 37 C.F.R. 1.56 and in accordance with 37 C.F.R. 1.97 et seq., Applicants, through and by their attorneys, hereby wish to direct the Examiner's attention to the documents listed on the attached modified PTO Form 1449 and the copies of those documents presented herewith for the Examiner's review and convenience.

By inclusion of any given document in this Information Disclosure Statement, Applicants in no way admit that such document is effective as prior art against the above-identified application under either 35 U.S.C. 102 or 35 U.S.C. 103.

Additionally, submission of any document is not to be taken as an admission of the materiality of the document to the prosecution of the present application.

The Examiner is requested to review each cited document and personally determine its prior art status.

Applicants recommend that the Examiner conduct an independent search for any and all available material prior art and independently review the results of such search and the documents cited within this Statement.

Applicants request the Examiner, in accordance with 37 C.F.R. 1.97, to indicate and make of record receipt and review of all of these documents by initialing the appropriate box in the accompanying PTO-1449. Applicants request that the undersigned receive a copy of the initialed PTO-1449.


If the Examiner refuses to consider any or all of the herein submitted materials because it is the Examiner's opinion that this Information Disclosure Statement is not in compliance with 37 C.F.R. 1.97, Applicants respectfully request that the Examiner notify the undersigned, in writing, as to the basis of such opinion.

Please charge any prosecutorial fees which are due to Kimberly-Clark Worldwide, Inc. deposit account number 11-0875.

The undersigned may be reached at: 920-721-2455.

Respectfully submitted,

CORNELIS J. BOSSELAAR ET AL.

By: 
Thomas J. Connelly
Registration No.: 28,404



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Cornelis J. Bosselaar et al. Docket No.: 16379
Serial No.: 10/020,455 Group No.: 3761
Confirmation No.: 9329 Examiner: Unknown
Filed: December 14, 2001
For: A COMBINATION FOR MANAGING THE INVOLUNTARY LOSS OF
BLADDER CONTROL

COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

RECEIVED
JUN 0 5 2003

CERTIFICATE OF MAILING UNDER 37 C.F.R. 1.8(a) TECHNOLOGY CENTER R3700

I hereby certify that the attached correspondence comprising:

Supplemental Information Disclosure Statement Pursuant to 37 C.F.R. § 1.97(b)
Before First Office Action or Within Three Months of Filing Date
1 Page(s) of PTO Form 1449
3 Document(s)

is being deposited with the United States Postal Service as first-class mail in an envelope
addressed to:

**COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450**

on: May 28, 2003

Nanette A. Dotts

(Type or print name of person mailing paper)

Nanette A. Dotts

(Signature of person mailing paper)